The Twenty-Second Meeting of the International Task Force for Disease Eradication (ITFDE) was convened at The Carter Center from 8:30 am to 5:00 pm on January 14, 2014 to discuss the elimination of onchocerciasis and lymphatic filariasis (LF) in Africa. The Task Force members are Sir George Alleyne, Johns Hopkins University; Dr. Stephen Blount, The Carter Center; Dr. Mickey Chopra, UNICEF; Dr. Dirk Engels, World Health Organization (WHO); Dr. Donald Hopkins, The Carter Center (Chair); Dr. Julie Jacobson, Bill & Melinda Gates Foundation; Dr. Adetokunbo Lucas, Harvard University; Dr. Montserrat Meiro-Lorenzo, The World Bank; Professor David Molyneux, Liverpool School of Tropical Medicine (retired); Dr. Mark Rosenberg, Task Force for Global Health; Dr. Laurence Slutsker, Centers for Disease Control and Prevention (CDC); Dr. Harrison Spencer, Association of Schools of Public Health; Dr. Roberto Tapia, Carlos Slim Foundation; Dr. Dyann Wirth, Harvard School of Public Health; and Dr. Yoichi Yamagata, Japan International Cooperation Agency (JICA) (retired). Ten Task Force members (Blount, Engels, Hopkins, Jacobson, Molyneux, Slutsker, Spencer, Tapia, Wirth, Yamagata) attended this meeting, and two others were represented by alternates (Dr. Donald Bundy for Meiro-Lorenzo and Dr. Eric Ottesen for Rosenberg).

Presenters at the meeting included Drs. Mark Eberhard and Patrick Lammie, Centers for Disease Control and Prevention; Dr. Adrian Hopkins, Mectizan® Donation Program, Task Force for Global Health; Dr. Bridget Okoeguale, Federal Ministry of Health, Nigeria; Dr. Afework Haile

(Uganda)[5] thus also showing the value of flexible approaches to interventions and combinations of interventions. Additional proof that transmission of LF can be stopped by annual MDA with ivermectin and albendazole and/or by mass distribution of LLINs is also now published from Togo[6] and Nigeria[7,8]. APOC believes interruption of onchocerciasis transmission will be most problematic and require the longest time (from now), in Central African Republic, Democratic Republic of Congo, and South Sudan.

A consortium led by WHO is analyzing and developing cost projections for implementation of current interventions envisioned to eliminate both diseases by 2020.

In Mozambique, mapping of onchocerciasis revealed that many areas that are hypo-endemic for

1(f)gtd t(r)3(ihi2(i)-2(ve)(r)s)-1(a)4(na)4-2(i)hofe-1(i)-2()-2(f)3rivealed tEh diseass 40(f)gntnrren

In a brief discussion of research pertaining to the development of drugs that would be effective against the adult stages of the parasites (macrofilaricides), it was noted that the Bill & Melinda Gates Foundation is supporting new uses of existing drugs (e.g., ivermectin and albendazole),

7. Given the complexity of associated technical issues, there is need for authoritative, clear, sound, and timely advice to countries on technical aspects related to elimination of onchocerciasis and LF in Africa, such as uptake of flexible new strategies or of interventions shown to have worked elsewhere; criteria for deciding when to stop MDA for either or both diseases; and monitoring during post treatment surveillance, for example.
8. More useful diagnostic tools for assessing the prevalence of LF and onchocerciasis have been developed and are expected to be deployed more widely soon after more validation studies are completed. The Bill & Melinda Gates Foundation also is investing heavily in supporting efforts to identify effective macrofilaricides for adult *Onchocerca* and *Wuchereria* parasites, including testing existing drugs, screening new compounds, and testing combinations of drugs, but a practical macrofilaricide is not expected for either parasite in the near future.
9. The Task Force notes the ongoing development of cost projections for joint implementation of LF and onchocerciasis elimination programmes and urges these to be completed and made available as soon as possible to inform discussions with donors.
10. The Task Force commends Nigeria for its progress in combatting onchocerciasis, LF, and malaria, and congratulates the Federal Ministry of Health of Nigeria on its soon to be published Guidelines for Malaria-Lymphatic Filariasis Co-Implementation in Nigeria.